

XANTÉ

XR-126



126" of Vivid UV Color



Powered by iQueue



Welcome to the powerful iQueue Workflow.

iQueue gives you the resources you need to keep jobs flowing. Automate your process and use on the fly editing to get more work done faster.

All Xanté printers use the iQueue ecosystem, so if you expand your business, you won't have to learn a new program.




Patented Spot Color Matching System

RightON® color matching technology makes spot color matching simpler than ever.

Queue easily saves colors for future use and consistency.

With RightON® you can also edit any spot color with CMYK, HSV or RGB color controls.



Job Cost - Xanté X-55				
Edit Consumables Prices				
Additional Cost:	None	+	Additional Fixed Cost:	None
Ink	Coverage (SgIn)	Ink Usage	Job Cost	
K	16.12%	69.75	0.2936 mL	0.07
C	40.28%	174.27	0.7335 mL	0.18
M	46.32%	200.41	0.8435 mL	0.21
Y	49.33%	213.41	0.8982 mL	0.22
W	0.00%	-	-	-
V	0.00%	-	-	-
		657.85	2.7687 mL	0.68
Job Cost				0.68
Cost Per Sheet				0.68

Accurate Job Cost

Pricing is one of the most important business decisions you will make. Our accurate job costing lets you know just how much ink each job uses and what it costs.



PANTONE® Color Library

The iQueue spot color database includes the PANTONE® Color Library. This provides access to PMS color builds when using Right-On.

Color/Screen Control

The ultimate solution for fine-tuning your printing process. Gain complete control over every aspect, from half-tone to line screen and even the angle of the half-tone.



From Roll to Real in Minutes

Standardizing on the Epson i3200 printheads, Xanté inks, and the incredible iQueue Workflow, operators move between flatbed and roll jobs seamlessly.

Shops consolidate consumables, maintain a single color standard, and route jobs dynamically—flat rigid today, flexible roll tonight—using the same interface and service model.

Built for uptime

Industrial chassis, smart media handling, and front-to-back access to streamline roll changes and routine maintenance.

Multi-roll efficiency

Load up to 3 rolls simultaneously. Dual-print on 2 rolls in parallel.



Ultra Wide or Dual Roll

Print on one ultra wide roll, or two 60 inch rolls at the same time.

Adobe PostScript imaging



Adobe® PostScript® 3™



PRECISIONCORE
PRINTHEAD
powered by EPSON

Industrial Epson i3200 printheads



Up to 126-inch roll capacity

Accepts virtually any roll up to 127 in (3.2 m) for grand-format productivity across banners, soft signage, wall coverings, and more.



XR-126 SPECIFICATIONS



PRINTING CAPABILITIES

Maximum print width:	126" (320cm)
Max. media size:	129.7" (330cm)
Max. print height:	1.0mm or less
Max. print length:	50' ft
Rolled media weight:	Large drive shaft 250 lbs
Print colors:	CMYK + WWWW
Print head combos:	(4) CMYK / (1) CMYK + (1) WWWW / (2) CMYK / (2) CMYK + (2) WWWW
Resolution:	720/1080/1440/2160/2880 DPI
UV lamp:	Dual LED, low heat curing lamps

INK AND MEDIA

Ink type:	UV, 500 mL bottles per color The maximum shelf life is 1 (one) year from Date of Manufacture (DoM). Once opened, the shelf life is 2 (two) months or 1 (one) year from DoM, whichever comes first.
Media types:	Paper, Film, Canvas, and Vinyl

PRINTER CONNECTIVITY	1-Gigabit Ethernet
----------------------	--------------------

PREPRESS SOFTWARE

Xanté iQueue Workflow:	Adobe® PostScript® 3™/PDF Workflow, Independent CMYK Density Control, Spot Color Matching, Imposition, Digital File Editing, Variable Printing, and much more
------------------------	---

WEIGHTS, DIMENSIONS

Dimensions:	183"L x 40"W x 61"H (465cm x 102cm x 155cm)
Net/Gross weight:	1,470 lbs (667 kg)
Power supply:	110v or 220v

WORKING CONDITION

Operating temperature:	22-26°C (68°F - 78°F)
Relative humidity:	35-75RH



iQueue Simply Brilliant
Workflow (Included)

Digital Color Workflow with Advanced Color
Matching and File Management Tools

XANTÉ

251.473.6502

xante.com



Adobe® PostScript® 3™

©2025 Xanté Corporation. Xanté, the Xanté logo, iQueue, RightON and X-121 are registered trademarks of Xanté Corporation.
Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. All rights reserved.
RightON US Pat. No 8743421

10.17.2025